

CHECKLISTS OF AMPHIBIANS, REPTILES, BIRDS AND MAMMALS OF ZAMBIA

by

Dr. Fainess Lumbwe

SASSCAL Project ID 184

(2013-2018)

CHECKLIST 1: AMPHIBIANS

- 1 *Afrixalus stuhlmanni brachycnemis* (Boulenger, 1896)
- 2 *Afrixalus wittei* (Laurent, 1941)
- 3 *Amietia delalandii* (Dumeril & Bibron, 1841)
- 4 *Amnirana darlingi* (Boulenger, 1902)
- 5 *Amnirana galamensis* (Dumeril & Bibron, 1841)
- 6 *Amnirana lemairei* (De Witte, 1921)
- 7 *Arthroleptis stenodactylus* Pfeffer, 1893
- 8 *Arthroleptis xenochirus* Boulenger, 1905
- 9 *Arthroleptis xenodactyloides* Hewitt, 1933
- 10 *Breviceps adspersus* Peters, 1882
- 11 *Breviceps mossambicus* Peters, 1854
- 12 *Breviceps poweri* Parker, 1934
- 13 *Cacosternum boettgeri* (Boulenger, 1882)
- 14 *Chiromantis xerampelina* Peters, 1854
- 15 *Hemisis barotseensis* Channing & Broadley, 2002
- 16 *Hemisis guineensis* Cope, 1865
- 17 *Hemisis marmoratus* (Peters, 1854)
- 18 *Hemisis wittei* Laurent, 1963
- 19 *Hildebrandtia ornata* (Peters, 1878)
- 20 *Hoplobatrachus occipitalis* (Gunther, 1858)
- 21 *Hyperolius acuticeps* Ahl, 1931
- 22 *Hyperolius benguellensis* (Bocage, 1893)
- 23 *Hyperolius bocagei* Steindachner, 1867
- 24 *Hyperolius cinnamomeoventris* Bocage, 1866
- 25 *Hyperolius dartevellei* Laurent, 1943
- 26 *Hyperolius kachalolae* Schiotz, 1975
- 27 *Hyperolius kivuensis* Ahl, 1931
- 28 *Hyperolius major* Laurent, 1957
- 29 *Hyperolius marginatus* Peters, 1854
- 30 *Hyperolius mariae* Barbour & Loveridge, 1928
- 31 *Hyperolius parallelus* Gunther, 1858
- 32 *Hyperolius pictus* Ahl, 1931

- 33 *Hyperolius pyrrhodictyon* Laurent, 1965
- 34 *Hyperolius quinquevittatus* Bocage, 1866
- 35 *Hyperolius steindachneri* Bocage, 1866
- 36 *Kassina kuvangensis* (Monard, 1937)
- 37 *Kassina senegalensis* Dumeril & Bibron, 1841)
- 38 *Kassinula wittei* Laurent, 1940
- 39 *Leptopelis bocagii* (Gunther, 1865)
- 40 *Leptopelis cynamomeus* (Bocage, 1893)
- 41 *Leptopelis parvocagii* Poynton & Broadley, 1987
- 42 *Mertensophryne melanopleura* (Schmidt & Inger, 1959)
- 43 *Mertensophryne nyikae* (Loveridge, 1953)
- 44 *Mertensophryne taitana* (Peters, 1878)
- 45 *Phrynobatrachus mababiensis* FitzSimons, 1932
- 46 *Phrynobatrachus natalensis* (Smith, 1849)
- 47 *Phrynobatrachus parvulus* (Boulenger, 1905)
- 48 *Phrynobatrachus perpalmatus* Boulenger, 1898
- 49 *Phrynomantis affinis* Boulenger, 1901
- 50 *Phrynomantis bifasciatus* (Smith, 1847)
- 51 *Poyntonophrynus beiranus* (Loveridge, 1932)
- 52 *Poyntonophrynus fenoulheti* (Hewitt & Metheun, 1912)
- 53 *Ptychadena anchietae* (Bocage, 1868)
- 54 *Ptychadena ansorgii* (Boulenger, 1905)
- 55 *Ptychadena bunoderma* (Boulenger, 1907)
- 56 *Ptychadena grandisonae* Laurent, 1954
- 57 *Ptychadena guibei* Laurent, 1954
- 58 *Ptychadena keilingi* (Monard, 1937)
- 59 *Ptychadena mascareniensis* (Dumeril & Bibron, 1841)
- 60 *Ptychadena mossambica* (Peters, 1854)
- 61 *Ptychadena obscura* (Schmidt & Inger, 1959)
- 62 *Ptychadena oxyrhynchus* (Smith, 1849)
- 63 *Ptychadena perplicata* Laurent, 1964
- 64 *Ptychadena porosissima* (Steindachner, 1867)
- 65 *Ptychadena subpunctata* (Bocage, 1866)
- 66 *Ptychadena taenioscelis* Laurent, 1954
- 67 *Ptychadena upembae* (Schmidt & Inger, 1959)
- 68 *Ptychadena uzungwensis* (Loveridge, 1932)
- 69 *Pyxicephalus adpersus* Tschudi, 1838
- 70 *Pyxicephalus edulis* Peters, 1854
- 71 *Schismaderma carens* (Smith, 1848)
- 72 *Sclerophrys fuliginata* (De Witte, 1932)
- 73 *Sclerophrys garmani* (Meek, 1897)
- 74 *Sclerophrys gutturalis* (Power, 1927)
- 75 *Sclerophrys kisoloensis* (Loveridge, 1932)
- 76 *Sclerophrys lemairii* (Boulenger, 1901)
- 77 *Sclerophrys pusilla* (Mertens, 1937)
- 78 *Sclerophrys urunguensis* (Loveridge, 1932)

- 79 *Strongylopus fasciatus* (Smith, 1849)
- 80 *Tomopterna cryptotis* (Boulenger, 1907)
- 81 *Tomopterna marmorata* (Peters, 1854)
- 82 *Tomopterna tuberculosa* (Boulenger, 1882)
- 83 *Xenopus laevis* (Daudin, 1802)
- 84 *Xenopus muelleri* (Peters, 1844)
- 85 *Xenopus petersii* Bocage, 1895

CHECKLIST 2: REPTILES

- 1 *Acanthocercus branchi* Wagner, Greenbaum & Bauer, 2012
- 2 *Acanthocercus atricollis* (Smith, 1849)
- 3 *Acontias jappi* (Broadley, 1968)
- 4 *Acontias schmitzi* Wagner, Broadley & Bauer, 2012
- 5 *Adolfus africanus* (Boulenger, 1906)
- 6 *Afroablepharus seydeli* (De Witte, 1933)
- 7 *Afroablepharus wahlbergi* (Smith, 1849)
- 8 *Afrotyphlops angolensis* (Bocage, 1866)
- 9 *Afrotyphlops lineolatus* (Jan, 1864)
- 10 *Afrotyphlops mucruso* (Peters, 1854)
- 11 *Afrotyphlops schlegelii* (Bianconi, 1847)
- 12 *Afrotyphlops schmidtii* (Laurent, 1956)
- 13 *Agama aculeata* Merrem, 1820
- 14 *Agama armata* Peters, 1855
- 15 *Agama kirkii* Boulenger, 1885
- 16 *Agama mossambica* Peters, 1854
- 17 *Amblyodipsas katangensis* De Witte & Laurent, 1942
- 18 *Amblyodipsas polylepis* (Bocage, 1873)
- 19 *Amblyodipsas ventrimaculata* (Roux, 1907)
- 20 *Aparallactus capensis* Smith, 1849
- 21 *Aparallactus guentheri* Boulenger, 1895
- 22 *Aparallactus lunulatus* (Peters, 1854)
- 23 *Atheris nitschei* Tornier, 1902
- 24 *Atractaspis bibronii* Smith, 1849
- 25 *Atractaspis congica* Peters, 1877
- 26 *Bitis arietans* Merrem, 1820
- 27 *Bitis caudalis* (Smith, 1839)
- 28 *Bitis gabonica* (Dumeril, Bibron & Dumeril, 1854)
- 29 *Bitis nasicornis* (Shaw, 1802)
- 30 *Boaedon capensis* Duméril & Bibron, 1854
- 31 *Boaedon fuliginosus* (Boie, 1827)
- 32 *Broadleysaurus major* (Dumeril, 1851)
- 33 *Causus bilineatus* Boulenger, 1905
- 34 *Causus defilippii* (Jan, 1863)
- 35 *Causus lichtensteinii* (Jan, 1859)
- 36 *Causus resimus* (Peters, 1862)
- 37 *Causus rhombeatus* (Lichtenstein, 1823)
- 38 *Chamaeleo dilepis* Leach, 1819
- 39 *Chamaeleo laevigatus* (Gray, 1863)
- 40 *Chamaesaura macrolepis* (Cope, 1862)
- 41 *Chamaesaura miopropus* Boulenger, 1895
- 42 *Chilorhinophis gerardi* (Boulenger, 1913)
- 43 *Chondrodactylus turneri* (Gray, 1864)
- 44 *Cordylus cordylus* (Linnaeus, 1758)

- 45 *Cordylus tropidosternum* (Cope, 1869)
- 46 *Crocodylus niloticus* Laurenti, 1768
- 47 *Crotaphopeltis barotseensis* Broadley, 1968
- 48 *Crotaphopeltis hotamboeia* (Laurenti, 1768)
- 49 *Cycloderma frenatum* Peters, 1854
- 50 *Dalophia angolensis* Gans, 1976
- 51 *Dalophia ellenbergeri* (Angel, 1920)
- 52 *Dalophia longicauda* (Werner, 1915)
- 53 *Dasypeltis medici* (Bianconi, 1859)
- 54 *Dasypeltis scabra* (Linnaeus, 1758)
- 55 *Dendroaspis jamesoni* (Traill, 1843)
- 56 *Dendroaspis polylepis* Gunther, 1864
- 57 *Dipsadoboa shrevei* (Loveridge, 1932)
- 58 *Dispholidus typus kivuensis* Laurent, 1955
- 59 *Dispholidus typus punctatus* Laurent, 1955
- 60 *Dispholidus typus punctatus* (Smith, 1829)
- 61 *Duberria shirana* (Boulenger, 1894)
- 62 *Elapsoidea boulengeri* Boettger, 1895
- 63 *Elapsoidea guentherii* Bocage, 1866
- 64 *Elapsoidea semiannulata* Bocage, 1882
- 65 *Elasmodactylus tuberculosus* Boulenger, 1895
- 66 *Eumecia anchietae* Bocage, 1870
- 67 *Gerrhosaurus auritus* Boettger, 1887
- 68 *Gerrhosaurus bulsi* Laurent, 1954
- 69 *Gerrhosaurus flavigularis* Wiegmann, 1828
- 70 *Gerrhosaurus multilineatus* Bocage, 1866
- 71 *Gerrhosaurus nigrolineatus* Hallowell, 1857
- 72 *Gonionotophis capensis* (Smith, 1847)
- 73 *Gonionotophis nyassae* (Gunther, 1888)
- 74 *Grayia ornata* (Bocage, 1866)
- 75 *Grayia tholloni* Mocquard, 1897
- 76 *Hemidactylus mabouia* (Moreau De Jonnes, 1818)
- 77 *Hemidactylus platycephalus* Peters, 1854
- 78 *Hemirhagerrhis nototaenia* (Gunther, 1864)
- 79 *Hypoptophis wilsonii* Boulenger, 1908
- 80 *Ichnotropis bivittata* Bocage, 1866
- 81 *Ichnotropis capensis* (Smith, 1838)
- 82 *Kinixys spekii* Gray, 1863
- 83 *Latastia johnstonii* Boulenger, 1907
- 84 *Lepidothyris hinkeli* Bohme, Pauwels & Schmitz, 2009
- 85 *Leptotyphlops emini* (Boulenger, 1890)
- 86 *Leptotyphlops incognitus* (Broadley & Watson, 1976)
- 87 *Leptotyphlops kafubi* (Boulenger, 1919)
- 88 *Leptotyphlops scutifrons* (Peters, 1854)
- 89 *Letheobia gracilis* (Sternfeld, 1910)
- 90 *Limnophis bangweolicus* (Mertens, 1936)

- 91 *Limnophis bicolor* Gunther, 1865
- 92 *Lycodonomorphus bicolor* (Gunther, 1893)
- 93 *Lycodonomorphus leleupi* (Laurent, 1950)
- 94 *Lycophidion capense* (Smith, 1831)
- 95 *Lycophidion semiannule* Peters, 1854
- 96 *Lycophidion variegatum* Broadley, 1969
- 97 *Lygodactylus angularis angularis* Gunther, 1893
- 98 *Lygodactylus angularis heenei* De Witte, 1933
- 99 *Lygodactylus capensis* (Smith, 1849)
- 100 *Lygodactylus chobiensis* FitzSimons, 1932
- 101 *Lygodactylus picturatus* (Peters, 1870)
- 102 *Malacochersus tornieri* (Siebenrock, 1903)
- 103 *Matobosaurus validus* (Smith, 1849)
- 104 *Mecistops cataphractus* (Cuvier, 1825)
- 105 *Meizodon semiornatus* (Peters, 1854)
- 106 *Melanoseps ater* (Gunther, 1873)
- 107 *Melanoseps loveridgei* Brygoo & Roux-Esteve, 1982
- 108 *Meroles squamulosa* (Peters, 1854)
- 109 *Mochlus afer* (Peters, 1854)
- 110 *Mochlus sundevalli* (Smith, 1849)
- 111 *Monopeltis anchietae* (Bocage, 1873)
- 112 *Monopeltis rhodesiana* Broadley, Gans & Visser, 1976
- 113 *Monopeltis sphenorhynchus* (Peters, 1879)
- 114 *Myriopholis longicauda* (Peters, 1854)
- 115 *Naja anchietae* Bocage, 1879
- 116 *Naja annulata* Peters, 1876
- 117 *Naja annulifera* Peters, 1854
- 118 *Naja crawshayi* Gunther, 1893
- 119 *Naja melanoleuca* Hallowell, 1857
- 120 *Naja mossambica* Peters, 1854
- 121 *Naja nigricollis* Reinhardt, 1843
- 122 *Natriciteres bipostocularis* Broadley, 1962
- 123 *Natriciteres olivacea* (Peters, 1854)
- 124 *Natriciteres sylvatica* Broadley, 1966
- 125 *Nucras boulengeri* Neumann, 1900
- 126 *Nucras ornata* (Gray, 1864)
- 127 *Pachydactylus capensis* (Smith, 1846)
- 128 *Pachydactylus punctatus* Peters, 1854
- 129 *Pelusios bechuanicus* FitzSimons, 1932
- 130 *Pelusios nanus* Laurent, 1956
- 131 *Pelusios rhodesianus* Hewitt, 1927
- 132 *Pelusios subniger* (Bonnaterre, 1789)
- 133 *Philothamnus angolensis* Bocage, 1882
- 134 *Philothamnus heterolepidotus* (Gunther, 1863)
- 135 *Philothamnus hoplogaster* (Gunther, 1863)
- 136 *Philothamnus irregularis* (Leach, 1819)

- 137 *Philothamnus ornatus* Bocage, 1872
- 138 *Philothamnus semivariatus* (Smith, 1840)
- 139 *Polemon christyi* (Boulenger, 1903)
- 140 *Prosymna ambigua* Bocage, 1873
- 141 *Prosymna angolensis* Boulenger, 1915
- 142 *Prosymna stuhlmanni* (Pfeffer, 1893)
- 143 *Psammophis angolensis* (Bocage, 1872)
- 144 *Psammophis jallae* Peracca, 1896
- 145 *Psammophis leopardinus* Bocage, 1887
- 146 *Psammophis lineatus* (Dumeril, Bibron & Dumeril, 1854)
- 147 *Psammophis mossambicus* Peters, 1882
- 148 *Psammophis subtaeniatus* Peters, 1882
- 149 *Psammophis zambiensis* Hughes, 2002
- 150 *Psammophylax acutus* (Gunther, 1888)
- 151 *Psammophylax tritaeniatus* (Gunther, 1868)
- 152 *Psammophylax variabilis* Gunther, 1893
- 153 *Pseudaspis cana* (Linnaeus, 1758)
- 154 *Python natalensis* Smith, 1840
- 155 *Pythonodipsas carinata* Gunther, 1868
- 156 *Rhamnophis aethiopissa ituriensis* Schmidt, 1923
- 157 *Rhamphiophis rostratus* Peters, 1854
- 158 *Rhampholeon nchisiensis* (Loveridge, 1953)
- 159 *Scaphiophis albopunctatus* Peters, 1870
- 160 *Sepsina angolensis* Bocage, 1866
- 161 *Sepsina tetradactyla* Peters, 1874
- 162 *Stigmochelys pardalis* (Bell, 1828)
- 163 *Telescopus semiannulatus* Smith, 1849
- 164 *Tetradactylus ellenbergeri* (Angel, 1922)
- 165 *Thelotornis capensis capensis* (Smith, 1849)
- 166 *Thelotornis capensis oatesi* (Gunther, 1881)
- 167 *Thelotornis kirtlandii* (Hallowell, 1844)
- 168 *Thelotornis mossambicanus* (Bocage, 1895)
- 169 *Thrasops jacksonii* Gunther, 1895
- 170 *Toxicodryas blandingii* (Hallowell, 1844)
- 171 *Trachylepis capensis* (Gray, 1831)
- 172 *Trachylepis ivensii* (Bocage, 1879)
- 173 *Trachylepis lacertiformis* (Peters, 1854)
- 174 *Trachylepis maculilabris* (Gray, 1845)
- 175 *Trachylepis margaritifera* (Peters, 1854)
- 176 *Trachylepis megalura* (Peters, 1878)
- 177 *Trachylepis planifrons* (Peters, 1878)
- 178 *Trachylepis punctatissima* (Smith, 1849)
- 179 *Trachylepis punctulata* (Bocage, 1872)
- 180 *Trachylepis striata striata* (Peters, 1844)
- 181 *Trachylepis striata wahlbergi* (Peters, 1869)
- 182 *Trachylepis varia* (Peters, 1867)

- 183 *Trachylepis variegata* (Peters, 1870)
- 184 *Trioceros goetzei nyikae* (Loveridge, 1953)
- 185 *Typhlacontias gracilis* Roux, 1907
- 186 *Typhlacontias rohani* Angel, 1923
- 187 *Varanus albigularis albigularis* Daudin, 1802
- 188 *Varanus albigularis angolensis* Schmidt, 1933
- 189 *Varanus niloticus* (Linnaeus, 1766)
- 190 *Xenocalamus mechowii* Peters, 1881
- 191 *Zygaspis kafuensis* Broadley & Broadley, 1997
- 192 *Zygaspis nigra* Broadley & Gans, 1969
- 193 *Zygaspis quadrifrons* (Peters, 1862)

CHECKLIST 3: BIRDS

- 1 *Accipiter badius* (Gmelin, 1788)
- 2 *Accipiter melanoleucus* Smith, 1830
- 3 *Accipiter minullus* (Daudin, 1800)
- 4 *Accipiter ovampensis* Gurney, 1875
- 5 *Accipiter rufiventris* Smith, 1830
- 6 *Accipiter tachiro* (Daudin, 1800)
- 7 *Acrocephalus arundinaceus* (Temminck & Schlegel, 1847)
- 8 *Acrocephalus gracilirostris* (Hartlaub, 1864)
- 9 *Acrocephalus palustris* (Bechstein, 1798)
- 10 *Acrocephalus rufescens* (Sharpe & Bouvier, 1876)
- 11 *Acrocephalus schoenobaenus* (Linnaeus, 1758)
- 12 *Acrocephalus scirpaceus* (Hermann, 1804)
- 13 *Actitis hypoleucos* Linnaeus, 1758
- 14 *Actophilornis africanus* (Gmelin, 1789)
- 15 *Agapornis lilianae* Shelley, 1894
- 16 *Agapornis nigrigenis* Sclater, 1906
- 17 *Alcedo quadribrachys* Bonaparte, 1850
- 18 *Alcedo semitorquata* Swainson, 1823
- 19 *Alethe fuelleborni* Recheihow, 1900
- 20 *Alopochen aegyptiaca* (Linnaeus, 1766)
- 21 *Amadina fasciata* (Gmelin, 1789)
- 22 *Amandava subflava* (Vieillot, 1819)
- 23 *Amaurornis marginalis* (Hartlaub, 1857)
- 24 *Amblyospiza albifrons* (Vigors, 1831)
- 25 *Anaplectes rubriceps* (Sundevall, 1850)
- 26 *Anas acuta* Linnaeus, 1758
- 27 *Anas capensis* Gmelin, 1789
- 28 *Anas erythrorhyncha* Gmelin, 1789
- 29 *Anas sparsa* Eyton, 1838
- 30 *Anas undulata* Dubois, 1839
- 31 *Anastomus lamelligerus* Temminck, 1823
- 32 *Andropadus importunus* (Vieillot, 1818)
- 33 *Andropadus nigriceps* (Shelley, 1890)
- 34 *Andropadus virens* Cassin, 1858
- 35 *Anhinga rufa* (Daudin, 1802)
- 36 *Anomalospiza imberbis* (Cabanis, 1868)
- 37 *Anthoscopus caroli* (Sharpe, 1871)
- 38 *Anthreptes anchietae* (Barboza du Bocage, 1878)
- 39 *Anthreptes collaris* (Vieillot, 1819)
- 40 *Anthreptes longuemarei* (Lesson, 1831)
- 41 *Anthus brachyurus* Sundevall, 1851
- 42 *Anthus caffer* Sundevall, 1851
- 43 *Anthus cervinus* (Pallas, 1811)
- 44 *Anthus hoeschi* Stresemann, 1938

- 45 *Anthus leucophrys* Vieillot, 1818
- 46 *Anthus lineiventris* Sundevall, 1851
- 47 *Anthus richardi* Vieillot, 1818
- 48 *Anthus similis* Jerdon, 1840
- 49 *Anthus trivialis* (Linnaeus, 1758)
- 50 *Anthus vaalensis* Shelley, 1900
- 51 *Apalis chapini* Friedmann, 1928
- 52 *Apalis cinerea* (Sharpe, 1891)
- 53 *Apalis flavida* (Strickland, 1852)
- 54 *Apalis rufogularis* (Fraser, 1843)
- 55 *Apalis thoracica* (Shaw, 1811)
- 56 *Apaloderma narina* (Stephens, 1815)
- 57 *Apaloderma vittatum* Shelley, 1882
- 58 *Aplopelia larvata* Temminck, 1809
- 59 *Apus affinis* (Gray, 1830)
- 60 *Apus apus* (Linnaeus, 1758)
- 61 *Apus barbatus* (Sclater, 1865)
- 62 *Apus caffer* (Lichtenstein, 1823)
- 63 *Apus horus* (Heuglin, 1869)
- 64 *Apus pallidus* (Shelley, 1855)
- 65 *Aquila nipalensis* Hodgson, 1833
- 66 *Aquila rapax* (Temminck, 1828)
- 67 *Aquila spilogaster* (Bonaparte, 1850)
- 68 *Aquila verreauxii* Lesson, 1830
- 69 *Ardea alba* Linnaeus, 1758
- 70 *Ardea brachyrhyncha* (Brehm, 1854)
- 71 *Ardea cinerea* Linnaeus, 1758
- 72 *Ardea goliath* Cretzschmar, 1827
- 73 *Ardea melanocephala* Vigors & Children, 1826
- 74 *Ardea purpurea* Linnaeus, 1766
- 75 *Ardeola idae* (Hartlaub, 1860)
- 76 *Ardeola ralloides* (Scopoli, 1769)
- 77 *Ardeola rufiventris* (Sundevall, 1851)
- 78 *Ardeotis kori* (Burchell, 1822)
- 79 *Arenaria interpres* (Linnaeus, 1758)
- 80 *Asio capensis* (Smith, 1834)
- 81 *Aviceda cuculoides* Swainson, 1837
- 82 *Baeopogon indicator* (Verreaux & Verreaux, 1855)
- 83 *Balaeniceps rex* Gould, 1850
- 84 *Balearica regulorum* (Bennett, 1834)
- 85 *Batis capensis* (Linnaeus, 1766)
- 86 *Batis margaritae* Boulton, 1934
- 87 *Batis molitor* Kuster, 1850
- 88 *Bleda syndactylus* (Swainson, 1837)
- 89 *Bostrychia hagedash* (Latham, 1790)
- 90 *Botaurus stellaris* (Linnaeus, 1758)

- 91 *Bradornis mariquensis* Smith, 1847
- 92 *Bradornis pallidus* (von Muller, 1851)
- 93 *Bradypterus alfredi* Hartlaub, 1890
- 94 *Bradypterus baboecala* (Vieillot, 1817)
- 95 *Bradypterus carpalis* Chapin, 1916
- 96 *Bradypterus cinnamomeus* (Ruppell, 1840)
- 97 *Bradypterus lopezi* (Alexander, 1903)
- 98 *Bubalornis niger* Smith, 1936
- 99 *Bubo africanus* (Temminck, 1821)
- 100 *Bubo lacteus* (Temminck, 1820)
- 101 *Bubulcus ibis* (Linnaeus, 1758)
- 102 *Bucorvus leadbeateri* (Vigors, 1825)
- 103 *Bugeranus carunculatus* (Gmelin, 1789)
- 104 *Buphagus africanus* Linnaeus, 1766
- 105 *Buphagus erythrorhynchus* (Stanley, 1814)
- 106 *Burhinus capensis* (Lichtenstein, 1823)
- 107 *Burhinus vermiculatus* (Cabanis, 1868)
- 108 *Buteo augur* (Ruppell, 1836)
- 109 *Buteo buteo* (Linnaeus, 1758)
- 110 *Butorides striata* (Linnaeus, 1758)
- 111 *Bycanistes brevis* (Friedmann, 1929)
- 112 *Bycanistes bucinator* (Temminck, 1824)
- 113 *Calandrella cinerea* (Gmelin, 1789)
- 114 *Calherodius leuconotus* (Wagler, 1827)
- 115 *Calidris alba* (Pallas, 1764)
- 116 *Calidris canutus* (Linnaeus, 1758)
- 117 *Calidris falcinellus* (Pontoppidan, 1763)
- 118 *Calidris ferruginea* (Pontopiddan, 1763)
- 119 *Calidris melanotos* (Vieillot, 1819)
- 120 *Calidris minuta* (Leisler, 1812)
- 121 *Calidris pugnax* (Linnaeus, 1758)
- 122 *Calidris temminckii* (Leisler, 1812)
- 123 *Camaroptera brachyura* (Vieillot, 1820)
- 124 *Camaroptera undosa* (Reichenow, 1882)
- 125 *Campephaga flava* Vieillot, 1817
- 126 *Campephaga quiscalina* Finsch, 1869
- 127 *Campethera abingoni* (Smith, 1836)
- 128 *Campethera bennettii* (Smith, 1836)
- 129 *Campethera cailliautii* (Malherbe, 1849)
- 130 *Campethera caroli* (Malherbe, 1852)
- 131 *Caprimulgus europaeus* Linnaeus, 1758
- 132 *Caprimulgus fossii* Hartlaub, 1857
- 133 *Caprimulgus natalensis* Smith, 1845
- 134 *Caprimulgus pectoralis* Cuvier, 1816
- 135 *Caprimulgus poliocephalus* Ruppell, 1840
- 136 *Caprimulgus rufigena* Smith, 1845

- 137 *Caprimulgus tristigma* Ruppell, 1840
- 138 *Caprimulgus vexillarius* (Gould, 1838)
- 139 *Centropus cupreicaudus* Reichenow, 1896
- 140 *Centropus grillii* Hartlaub, 1861
- 141 *Centropus senegalensis* (Linnaeus, 1766)
- 142 *Centropus superciliosus* Hemprich & Ehrenberg, 1833
- 143 *Cercococcyx montanus* Chapin, 1928
- 144 *Cercococcyx olivinus* Sassi, 1912
- 145 *Cercomela familiaris* (Wilkes, 1817)
- 146 *Ceryle rudis* (Linnaeus, 1758)
- 147 *Ceuthmochares aereus* (Vieillot, 1817)
- 148 *Charadrius asiaticus* Pallas, 1773
- 149 *Charadrius dubius* Scopoli 1786
- 150 *Charadrius forbesi* (Shelley, 1883)
- 151 *Charadrius hiaticula* Linnaeus, 1758
- 152 *Charadrius leschenaultii* Lesson, 1826
- 153 *Charadrius marginatus* Vieillot, 1818
- 154 *Charadrius mongolus* Pallas, 1776
- 155 *Charadrius pallidus* Strickland, 1852
- 156 *Charadrius pecuarius* Temminck 1823
- 157 *Charadrius tricollaris* Vieillot, 1818
- 158 *Chlidonias hybrida* (Pallas, 1811)
- 159 *Chlidonias leucopterus* (Temminck, 1815)
- 160 *Chlorocichla flavicollis* (Swainson, 1837)
- 161 *Chlorocichla flaviventris* (Smith, 1834)
- 162 *Chlorocichla laetissima* Sharpe, 1899
- 163 *Chloropeta gracilirostris* Ogilvie-Grant, 1906
- 164 *Chloropeta natalensis* Smith, 1847
- 165 *Chloropeta similis* Richmond, 1897
- 166 *Chrysococcyx caprius* (Boddaert, 1783)
- 167 *Chrysococcyx cupreus* (Shaw, 1792)
- 168 *Chrysococcyx klaas* (Stephens, 1815)
- 169 *Cichladusa arquata* Peters, 1863
- 170 *Ciconia abdimii* Lichtenstein, 1823
- 171 *Ciconia ciconia* (Linnaeus, 1758)
- 172 *Ciconia microscelis* Gray, 1848
- 173 *Ciconia nigra* (Linnaeus, 1758)
- 174 *Cinnyricinclus leucogaster* (Boddaert, 1783)
- 175 *Circaetus cinerascens* von Muller, 1851
- 176 *Circaetus cinereus* Vieillot, 1818
- 177 *Circaetus pectoralis* A. Smith, 1829
- 178 *Circus aeruginosus* (Linnaeus, 1758)
- 179 *Circus macrourus* (Gmelin, 1770)
- 180 *Circus pygargus* (Linnaeus, 1758)
- 181 *Circus ranivorus* (Daudin, 1800)
- 182 *Cisticola aberrans* (Smith, 1843)

- 183 *Cisticola angusticauda* Reichenow, 1891
- 184 *Cisticola aridulus* Witherby, 1900
- 185 *Cisticola ayresii* Hartlaub, 1863
- 186 *Cisticola brachypterus* (Sharpe, 1870)
- 187 *Cisticola brunnescens* Heuglin, 1862
- 188 *Cisticola cantans* (Heuglin, 1869)
- 189 *Cisticola chiniana* (Smith, 1843)
- 190 *Cisticola cinnamomeus* Reichenow, 1904
- 191 *Cisticola dambo* Lynes, 1931
- 192 *Cisticola erythrops* (Hartlaub, 1857)
- 193 *Cisticola fulvicapilla* (Vieillot, 1817)
- 194 *Cisticola galactotes* (Temminck, 1821)
- 195 *Cisticola juncidis* (Rafinesque, 1810)
- 196 *Cisticola lais* (Hartlaub & Finsch, 1870)
- 197 *Cisticola lateralis* (Fraser, 1843)
- 198 *Cisticola natalensis* (Smith, 1843)
- 199 *Cisticola nigriloris* Shelley, 1897
- 200 *Cisticola njombe* Lynes, 1933
- 201 *Cisticola pipiens* Lynes, 1930
- 202 *Cisticola robustus* (Ruppell, 1845)
- 203 *Cisticola rufilatus* (Hartlaub, 1870)
- 204 *Cisticola textrix* (Vieillot, 1817)
- 205 *Cisticola tinniens* (Lichtenstein, 1842)
- 206 *Cisticola woosnami* Ogilvie-Grant, 1908
- 207 *Clamator glandarius* (Linnaeus, 1758)
- 208 *Clamator jacobinus* (Boddaert, 1783)
- 209 *Clamator levaillantii* (Swainson, 1829)
- 210 *Clanga clanga* (Pallas, 1811)
- 211 *Clanga pomarina* (Brehm, 1831)
- 212 *Colius striatus* Gmelin, 1789
- 213 *Columba arquatrix* Temminck, 1809
- 214 *Columba delegorguei* Delegorgue, 1847
- 215 *Columba livia* Gmelin, 1789
- 216 *Columba uncinata* Cassin, 1860
- 217 *Coracias caudatus* Linnaeus, 1766
- 218 *Coracias garrulus* Linnaeus, 1758
- 219 *Coracias naevius* Daudin, 1800
- 220 *Coracias spatulatus* Trimen, 1880
- 221 *Coracina pectoralis* (Jardine & Selby, 1828)
- 222 *Corvus albicollis* Latham, 1790
- 223 *Corvus albus* Muller, 1776
- 224 *Corvus capensis* Lichtenstein, 1823
- 225 *Corythaixoides concolor* (Smith, 1833)
- 226 *Corythaixoides leopoldi* (Shelley, 1881)
- 227 *Corythornis cristatus* (Pallas, 1764)
- 228 *Corythornis leucogaster* (Fraser, 1843)

- 229 *Cossypha anomala* (Shelley, 1893)
- 230 *Cossypha caffra* (Linnaeus, 1771)
- 231 *Cossypha heuglini* Hartlaub, 1866
- 232 *Cossypha natalensis* Smith, 1840
- 233 *Cossypha polioptera* Reichenow, 1892
- 234 *Coturnix coturnix* (Linnaeus, 1758)
- 235 *Coturnix delegorguei* Delegorgue, 1847
- 236 *Creatophora cinerea* (Meuschen, 1787)
- 237 *Crex crex* (Linnaeus, 1758)
- 238 *Crex egregia* (Peters, 1854)
- 239 *Cryptospiza reichenovii* (Hartlaub, 1874)
- 240 *Cuculus canorus* Linnaeus, 1758
- 241 *Cuculus clamosus* Latham, 1801
- 242 *Cuculus gularis* Stephens, 1815
- 243 *Cuculus poliocephalus* Latham 1790
- 244 *Cuculus rochii* Hartlaub, 1863
- 245 *Cuculus solitarius* Stephens, 1815
- 246 *Cursorius temminckii* Swainson, 1822
- 247 *Cypsiurus parvus* (Lichtenstein, 1823)
- 248 *Delichon urbicum* (Linnaeus, 1758)
- 249 *Dendrocygna bicolor* (Vieillot, 1816)
- 250 *Dendrocygna viduata* (Linnaeus, 1766)
- 251 *Dendroperdix sephaena* (Smith, 1836)
- 252 *Dendropicos fuscescens* (Vieillot, 1818)
- 253 *Dendropicos griseocephalus* (Boddaert, 1783)
- 254 *Dendropicos namaquus* (Lichtenstein, 1793)
- 255 *Dicrurus adsimilis* (Bechstein, 1794)
- 256 *Dicrurus ludwigii* (Smith, 1834)
- 257 *Dioptrornis fischeri* Reichenow, 1884
- 258 *Dryoscopus cubla* (Shaw, 1809)
- 259 *Egretta ardesiaca* (Wagler, 1827)
- 260 *Egretta garzetta* (Linnaeus, 1766)
- 261 *Egretta vinaceigula* (Sharpe, 1895)
- 262 *Elanus caeruleus* (Desfontaines 1789)
- 263 *Elminia albicauda* Barboza du Bocage, 1877
- 264 *Elminia albonotata* Sharpe, 1891
- 265 *Emberiza cabanisi* Reichenow, 1875
- 266 *Emberiza capensis* Linnaeus, 1766
- 267 *Emberiza flaviventris* Stephens, 1815
- 268 *Emberiza impetuani* Smith, 1836
- 269 *Emberiza tahapisi* Smith, 1836
- 270 *Ephippiorhynchus senegalensis* (Shaw, 1800)
- 271 *Eremomela atricollis* Barboza du Bocage, 1894
- 272 *Eremomela icteropygialis* (Lafresnaye, 1839)
- 273 *Eremomela scotops* Sundevall, 1850
- 274 *Eremomela usticollis* Sundevall, 1850

- 275 *Eremopterix leucopareia* (Fischer & Reichenow, 1884)
- 276 *Eremopterix leucotis* (Stanley, 1814)
- 277 *Eremopterix verticalis* (Smith, 1836)
- 278 *Erythrocerus livingstonei* Gray, 1870
- 279 *Erythropygia barbata* (Hartlaub & Finsch, 1870)
- 280 *Erythropygia leucophrys* (Vieillot, 1817)
- 281 *Erythropygia quadrivirgata* (Reichenow, 1879)
- 282 *Estrilda astrild* (Linnaeus, 1758)
- 283 *Estrilda erythronotos* (Vieillot, 1817)
- 284 *Estrilda melanotis* (Temminck, 1823)
- 285 *Estrilda melpoda* (Vieillot, 1817)
- 286 *Estrilda paludicola* Heuglin, 1863
- 287 *Estrilda perreini* (Vieillot, 1817)
- 288 *Euplectes afer* (Gmelin, 1789)
- 289 *Euplectes albonotatus* (Cassin, 1848)
- 290 *Euplectes ardens* (Boddaert, 1783)
- 291 *Euplectes axillaris* (Smith, 1838)
- 292 *Euplectes capensis* (Linnaeus, 1766)
- 293 *Euplectes hartlaubi* (Barboza du Bocage, 1878)
- 294 *Euplectes hordeaceus* (Linnaeus, 1758)
- 295 *Euplectes macroura* (Gmelin, 1789)
- 296 *Euplectes orix* (Linnaeus, 1758)
- 297 *Euplectes progne* (Boddaert, 1783)
- 298 *Euplectes psammocromius* (Reichenow, 1900)
- 299 *Eupodotis senegalensis* (Vieillot, 1820)
- 300 *Eurystomus glaucurus* (Muller, 1776)
- 301 *Falco amurensis* Radde, 1863
- 302 *Falco ardosiaceus* Vieillot, 1823
- 303 *Falco biarmicus* Temminck, 1825
- 304 *Falco concolor* Temminck, 1825
- 305 *Falco cuvierii* Smith, 1830
- 306 *Falco dickinsoni* Sclater, 1864
- 307 *Falco fasciinucha* Reichenow & Neumann, 1895
- 308 *Falco naumanni* Fleischer, 1818
- 309 *Falco peregrinus* Tunstall, 1771
- 310 *Falco ruficollis* Swainson, 1837
- 311 *Falco rupicoloides* Smith, 1829
- 312 *Falco subbuteo* Linnaeus, 1758
- 313 *Falco tinnunculus* Linnaeus, 1758
- 314 *Falco vespertinus* Linnaeus, 1766
- 315 *Ficedula albicollis* (Temminck, 1815)
- 316 *Fulica cristata* Gmelin, 1789
- 317 *Gallinago gallinago* (Linnaeus, 1758)
- 318 *Gallinago media* (Latham, 1787)
- 319 *Gallinago nigripennis* Bonaparte, 1839
- 320 *Gallinula angulata* Sundevall, 1851

- 321 *Gallinula chloropus* (Linnaeus, 1758)
- 322 *Gallirex porphyreolophus* (Vigors, 1831)
- 323 *Gelochelidon nilotica* (Gmelin, 1789)
- 324 *Glareola nordmanni* Fischer, 1842
- 325 *Glareola nuchalis* Gray, 1849
- 326 *Glareola pratincola* (Linnaeus, 1766)
- 327 *Glaucidium capense* (Smith, 1834)
- 328 *Glaucidium perlatum* (Vieillot, 1818)
- 329 *Guttera edouardi* (Hartlaub, 1867)
- 330 *Gypohierax angolensis* (Gmelin, 1788)
- 331 *Gyps africanus* Salvadori, 1865
- 332 *Gyps coprotheres* (Forster, 1798)
- 333 *Gyps rueppellii*(Brehm, 1852)
- 334 *Halcyon albiventris* (Scopoli, 1786)
- 335 *Halcyon chelicuti* (Stanley, 1814)
- 336 *Halcyon leucocephala* (Muller, 1776)
- 337 *Halcyon malimbica* (Shaw, 1811)
- 338 *Halcyon senegalensis* (Linnaeus, 1766)
- 339 *Haliaeetus vocifer* (Daudin, 1800)
- 340 *Heliolais erythropterus* (Jardine, , 1849)
- 341 *Hieraaetus ayresii* Gurney, 1862
- 342 *Hieraaetus pennatus* (Gmelin, 1788)
- 343 *Hieraaetus wahlbergi* (Sundevall, 1851)
- 344 *Himantopus himantopus* (Linnaeus, 1758)
- 345 *Hippolais icterina* (Vieillot, 1817)
- 346 *Hippolais olivetorum* (Strickland, 1837)
- 347 *Hirundo abyssinica* Guerin-Meneville, 1843
- 348 *Hirundo albigularis* Strickland, 1849
- 349 *Hirundo angolensis* Barboza du Bocage, 1868
- 350 *Hirundo atrocaerulea* Sundevall, 1850
- 351 *Hirundo cucullata* Boddaert, 1783
- 352 *Hirundo daurica* Linnaeus, 1771
- 353 *Hirundo dimidiata* Sundevall, 1850
- 354 *Hirundo fuligula* Lichtenstein, 1842
- 355 *Hirundo nigrorufa* Barboza du Bocage, 1877
- 356 *Hirundo rufigula* Barboza du Bocage, 1878
- 357 *Hirundo rustica* Linnaeus, 1758
- 358 *Hirundo semirufa* Sundevall, 1850
- 359 *Hirundo senegalensis* Linnaeus, 1766
- 360 *Hirundo smithii* Leach, 1818
- 361 *Hirundo spilodera* Sundevall, 1850
- 362 *Hydroprogne caspia* (Pallas, 1770)
- 363 *Hyliota australis* Shelley, 1882
- 364 *Hyliota flavigaster* Swainson, 1837
- 365 *Hypargos niveoguttatus* (Peters, 1868)
- 366 *Indicator exilis* (Cassin, 1856)

- 367 *Indicator indicator* (Sparman, 1777)
- 368 *Indicator meliphilus* (Oberholser, 1905)
- 369 *Indicator minor* Stephens, 1815
- 370 *Indicator variegatus* Lesson, 1830
- 371 *Ispidina picta* (Boddaert, 1783)
- 372 *Ixobrychus minutus* (Linnaeus, 1766)
- 373 *Ixobrychus sturmii* (Wagler, 1827)
- 374 *Jynx ruficollis* Wagler, 1830
- 375 *Kaupifalco monogrammicus* (Temminck, 1824)
- 376 *Lagonosticta nitidula* Hartlaub, 1886
- 377 *Lagonosticta rhodopareia* (Heuglin, 1868)
- 378 *Lagonosticta rubricata* (Lichtenstein, 1823)
- 379 *Lagonosticta senegala* (Linnaeus, 1766)
- 380 *Lamprotornis acuticaudus* (Barboza du Bocage, 1870)
- 381 *Lamprotornis australis* (Smith, 1836)
- 382 *Lamprotornis chalybaeus* Ehrenberg, 1828
- 383 *Lamprotornis elisabeth* (Stresemann, 1924)
- 384 *Lamprotornis mevesii* (Wahlberg, 1856)
- 385 *Lamprotornis nitens* (Linnaeus, 1766)
- 386 *Lamprotornis splendidus* (Vieillot, 1822)
- 387 *Laniarius aethiopicus* (Gmelin, 1788)
- 388 *Laniarius atrococcineus* (Burchell, 1822)
- 389 *Laniarius bicolor* (Verreaux, 1857)
- 390 *Laniarius fuelleborni* (Reichenow, 1900)
- 391 *Lanius collaris* Linnaeus, 1766
- 392 *Lanius collurio* Linnaeus, 1758
- 393 *Lanius minor* Gmelin, 1788
- 394 *Lanius souzae* Barboza du Bocage, 1878
- 395 *Larus cirrocephalus* Vieillot, 1818
- 396 *Larus fuscus* Linnaeus, 1758
- 397 *Larus pipixcan* Wagler, 1831
- 398 *Leptoptilos crumenifer* (Lesson, 1831)
- 399 *Limosa lapponica* (Linnaeus, 1758)
- 400 *Limosa limosa* (Linnaeus, 1758)
- 401 *Lissotis melanogaster* (Ruppell, 1835)
- 402 *Locustella fluviatilis* (Wolf, 1810)
- 403 *Lonchura cucullata* (Swainson, 1837)
- 404 *Lonchura fringilloides* (Lafresnaye, 1835)
- 405 *Lonchura nigriceps* (Cassin, 1852)
- 406 *Lophaetus occipitalis* (Daudin, 1800)
- 407 *Lophoceros alboterminatus* Buttkofer, 1889
- 408 *Lophoceros bradfieldi* (Roberts, 1930)
- 409 *Lophoceros nasutus* (Linnaeus, 1766)
- 410 *Lophoceros pallidirostris* (Hartlaub & Finsch, 1870)
- 411 *Lophotis ruficrista* (Smith, 1836)
- 412 *Luscinia luscinia* (Linnaeus, 1758)

- 413 *Lybius chaplini* Clarke, 1920
- 414 *Lybius torquatus* (Dumont, 1816)
- 415 *Lymnocyrtes minimus* (Brunnich, 1764)
- 416 *Macheiramphus alcinus* Westermann, 1851
- 417 *Macronyx ameliae* de Tarragon, 1845
- 418 *Macronyx croceus* (Vieillot, 1816)
- 419 *Macronyx fuellebornii* Reichenow, 1900
- 420 *Macronyx grimwoodi* Benson, 1955
- 421 *Malaconotus blanchoti* Stephens, 1826
- 422 *Mandingoa nitidula* (Hartlaub, 1865)
- 423 *Megabyas flammulatus* (Verreaux & Verreaux, 1855)
- 424 *Megaceryle maxima* (Palla, 1769)
- 425 *Melaenornis pammelaina* (Stanley, 1814)
- 426 *Melierax metabates* Heuglin, 1861
- 427 *Melocichla mentalis* (Fraser, 1843)
- 428 *Merops albicollis* Vieillot, 1817
- 429 *Merops apiaster* Linnaeus, 1758
- 430 *Merops boehmi* Reichenow, 1882
- 431 *Merops bullockoides* Smith, 1834
- 432 *Merops hirundineus* Lichtenstein, 1793
- 433 *Merops nubicoides* Des Murs & Pucheran, 1846
- 434 *Merops persicus* Pallas, 1773
- 435 *Merops pusillus* Muller, 1776
- 436 *Merops superciliosus* Linnaeus, 1766
- 437 *Merops variegatus* Vieillot, 1817
- 438 *Microcarbo africanus* (Gmelin, 1789)
- 439 *Micronisus gabar* (Daudin, 1800)
- 440 *Microparra capensis* (Smith, 1839)
- 441 *Milvus migrans* (Boddaert, 1783)
- 442 *Mirafra africana* Smith, 1836
- 443 *Mirafra africanoides* Smith, 1836
- 444 *Mirafra angolensis* Barboza du Bocage, 1880
- 445 *Mirafra apiata* (Vieillot, 1816)
- 446 *Mirafra passerina* Gyldenstolpe, 1926
- 447 *Mirafra rufocinnamomea* (Salvadori, 1865)
- 448 *Monticola angolensis* Sousa, 1888
- 449 *Monticola saxatilis* (Linnaeus, 1766)
- 450 *Motacilla aguimp* Dumont, 1821
- 451 *Motacilla alba* Linnaeus, 1758
- 452 *Motacilla capensis* Linnaeus, 1766
- 453 *Motacilla cinerea* Tunstall, 1771
- 454 *Motacilla clara* Sharp, 1908
- 455 *Motacilla flava* Linnaeus, 1758
- 456 *Muscicapa adusta* (Boie, 1828)
- 457 *Muscicapa aquatica* Heuglin, 1864
- 458 *Muscicapa boehmi* (Reichenow, 1884)

- 459 *Muscicapa caerulescens* (Hartlaub, 1865)
- 460 *Muscicapa cassini* Heine, 1859
- 461 *Muscicapa infuscata* (Cassin, 1855)
- 462 *Muscicapa striata* (Pallas, 1764)
- 463 *Musophaga rossae* Gould, 1852
- 464 *Mycteria ibis* (Linnaeus, 1766)
- 465 *Myioparus plumbeus* (Hartlaub, 1858)
- 466 *Myrmecocichla arnoti* (Tristram, 1869)
- 467 *Myrmecocichla nigra* (Vieillot, 1818)
- 468 *Neafrapus boehmi* (Schalow, 1882)
- 469 *Necrosyrtes monachus* (Temminck, 1823)
- 470 *Nectarinia afra* (Linnaeus, 1766)
- 471 *Nectarinia amethystina* (Shaw, 1812)
- 472 *Nectarinia bannermani* Grant & Mackworth-Praed, 1943
- 473 *Nectarinia batesi* (Ogilvie-Grant, 1908)
- 474 *Nectarinia bifasciata* (Shaw, 1812)
- 475 *Nectarinia bouvieri* (Shelley, 1877)
- 476 *Nectarinia cuprea* (Shaw, 1812)
- 477 *Nectarinia famosa* (Linnaeus, 1766)
- 478 *Nectarinia fuelleborni* (Reichenow, 1899)
- 479 *Nectarinia johnstoni* Shelley, 1885
- 480 *Nectarinia kilimensis* Shelley, 1884
- 481 *Nectarinia manoensis* (Reichenow, 1907)
- 482 *Nectarinia mariquensis* (Smith, 1836)
- 483 *Nectarinia olivacea* (Smith, 1840)
- 484 *Nectarinia oustaleti* Barboza du Bocage, 1878
- 485 *Nectarinia rubescens* (Vieillot, 1819)
- 486 *Nectarinia senegalensis* (Linnaeus, 1766)
- 487 *Nectarinia shelleyi* (Alexander, 1899)
- 488 *Nectarinia talatala* (Smith, 1836)
- 489 *Nectarinia venusta* (Shaw & Nodder, 1799)
- 490 *Nectarinia verticalis* (Latham, 1790)
- 491 *Neocichla gutturalis* (Barboza du Bocage, 1871)
- 492 *Neolestes torquatus* Cabanis, 1875
- 493 *Neotis denhami* (Children, 1826)
- 494 *Netta erythrophthalma* (Wied, 1832)
- 495 *Nettapus auritus* (Boddaert, 1783)
- 496 *Nicator gularis* Hartlaub & Finsch, 1870
- 497 *Nilaus afer* (Latham, 1801)
- 498 *Numenius arquata* (Linnaeus, 1758)
- 499 *Numenius phaeopus* (Linnaeus, 1758)
- 500 *Numida meleagris* (Linnaeus, 1758)
- 501 *Nycticorax nycticorax* (Linnaeus, 1758)
- 502 *Oena capensis* (Linnaeus, 1766)
- 503 *Oenanthe isabellina* (Temminck, 1829)
- 504 *Oenanthe oenanthe* (Linnaeus, 1758)

- 505 *Oenanthe pileata* (Gmelin, 1789)
- 506 *Onychognathus morio* (Linnaeus, 1766)
- 507 *Onychognathus tenuirostris* (Ruppell, 1836)
- 508 *Onychognathus walleri* (Shelley, 1880)
- 509 *Oriolus auratus* Vieillot, 1817
- 510 *Oriolus larvatus* Lichtenstein, 1823
- 511 *Oriolus oriolus* (Linnaeus, 1758)
- 512 *Ortygospiza atricollis* (Vieillot, 1817)
- 513 *Ortygospiza locustella* (Neave, 1909)
- 514 *Otus senegalensis* (Swainson, 1837)
- 515 *Pachycoccyx audeberti* (Schlegel, 1879)
- 516 *Pandion haliaetus* (Linnaeus, 1758)
- 517 *Parus griseiventris* Reichenow, 1882
- 518 *Parus leucomelas* Ruppell, 1840
- 519 *Parus niger* Vieillot, 1818
- 520 *Parus rufiventris* Barboza du Bocage, 1877
- 521 *Passer diffusus* (Smith, 1836)
- 522 *Passer domesticus* (Linnaeus, 1758)
- 523 *Passer griseus* (Vieillot, 1817)
- 524 *Pelecanus onocrotalus* Linnaeus, 1758
- 525 *Pelecanus rufescens* Gmelin, 1789
- 526 *Peliperdix albogularis* (Hartlaub, 1854)
- 527 *Peliperdix coqui* (Smith, 1836)
- 528 *Pernis apivorus* (Linnaeus 1758)
- 529 *Petronia supercilialis* (Blyth, 1845)
- 530 *Phalacrocorax carbo* (Linnaeus, 1758)
- 531 *Phalaropus lobatus* (Linnaeus, 1758)
- 532 *Phoeniconaias minor* (Geoffroy Saint-Hilaire, 1798)
- 533 *Phoenicopterus roseus* Pallas, 1811
- 534 *Phoeniculus purpureus* (Miller, 1784)
- 535 *Phyllastrephus cabanisi* (Sharpe, 1881)
- 536 *Phyllastrephus cerviniventris* Shelley, 1894
- 537 *Phyllastrephus flavostriatus* Sharpe, 1876
- 538 *Phyllastrephus terrestris* Swainson, 1837
- 539 *Phylloscopus laurae* (Boulton, 1931)
- 540 *Phylloscopus ruficapilla* (Sundevall, 1850)
- 541 *Phylloscopus trochilus* (Linnaeus, 1758)
- 542 *Pinarocorys nigricans* (Sundevall, 1850)
- 543 *Pinarornis plumosus* Sharpe, 1876
- 544 *Pitta angolensis* Vieillot, 1816
- 545 *Platalea alba* Scopoli, 1786
- 546 *Platysteira castanea* Fraser, 1843
- 547 *Platysteira peltata* Sundevall, 1850
- 548 *Plectropterus gambensis* (Linnaeus, 1766)
- 549 *Plegadis falcinellus* (Linnaeus, 1766)
- 550 *Plocepasser mahali* Smith, 1836

- 551 *Plocepasser rufoscapulatus* Buttkofer, 1888
- 552 *Ploceus angolensis* (Barboza du Bocage, 1878)
- 553 *Ploceus baglafecht* (Daudin, 1802)
- 554 *Ploceus bertrandi* (Shelley, 1893)
- 555 *Ploceus bicolor* Vieillot, 1819
- 556 *Ploceus cucullatus* (Muller, 1776)
- 557 *Ploceus intermedius* Ruppell, 1845
- 558 *Ploceus katangae* (Verheyen, 1947)
- 559 *Ploceus melanocephalus* (Linnaeus, 1758)
- 560 *Ploceus ocularis* Smith, 1839
- 561 *Ploceus olivaceiceps* (Reichenow, 1899)
- 562 *Ploceus pelzelni* (Hartlaub, 1887)
- 563 *Ploceus reichardi* Reichenow, 1886
- 564 *Ploceus superciliosus* (Shelley, 1873)
- 565 *Ploceus temporalis* (Barboza du Bocage, 1880)
- 566 *Ploceus velatus* Vieillot, 1819
- 567 *Ploceus xanthops* (Hartlaub, 1862)
- 568 *Ploceus xanthopterus* (Finsch & Hartlaub, 1870)
- 569 *Pluvialis fulva* (Gmelin, 1789)
- 570 *Pluvialis squatarola* (Linnaeus, 1758)
- 571 *Podica senegalensis* (Vieillot, 1817)
- 572 *Podiceps cristatus* (Linnaeus, 1758)
- 573 *Pogoniulus bilineatus* (Sundevall, 1850)
- 574 *Pogoniulus chrysoconus* (Temminck, 1832)
- 575 *Pogoniulus leucomystax* (Sharpe, 1892)
- 576 *Pogoniulus makawai* Benson & Irwin, 1965
- 577 *Pogonocichla stellata* (Vieillot, 1818)
- 578 *Pogonornis macclounii* (Shelley, 1899)
- 579 *Poicephalus meyeri* (Cretzschmar, 1827)
- 580 *Poicephalus robustus* (Gmelin, 1788)
- 581 *Polemaetus bellicosus* (Daudin, 1800)
- 582 *Polyboroides typus* Smith, 1829
- 583 *Porphyrio alleni* Thomson, 1842
- 584 *Porphyrio porphyrio* (Linnaeus, 1758)
- 585 *Porzana porzana* (Linnaeus, 1776)
- 586 *Prinia flavicans* (Vieillot, 1820)
- 587 *Prinia leucopogon* (Cabanis, 1875)
- 588 *Prinia subflava* (Gmelin, 1789)
- 589 *Prionops plumatus* (Shaw, 1809)
- 590 *Prionops retzii* Wahlberg, 1856
- 591 *Prodotiscus regulus* Sundevall, 1850
- 592 *Prodotiscus zambesiae* Shelley, 1894
- 593 *Psalidoprocne albiceps* Sclater, 1864
- 594 *Psalidoprocne pristoptera* (Ruppell, 1836)
- 595 *Pseudhirundo griseopyga* Sundevall, 1850
- 596 *Pseudoalcippe abyssinica* (Ruppell, 1840)

- 597 *Psophocichla litsitsirupa* (Smith, 1836)
598 *Pternistis adspersus* (Waterhouse, 1838)
599 *Pternistis afer* (Muller, 1776)
600 *Pternistis hildebrandti* (Cabanis, 1878)
601 *Pternistis natalensis* (Smith, 1834)
602 *Pternistis swainsonii* (Smith, 1836)
603 *Pterocles bicinctus* Temminck, 1815
604 *Pterocles burchelli* Sclater, 1922
605 *Pterocles gutturalis* Smith, 1836
606 *Ptilopsis granti* (Kollibay, 1910)
607 *Ptyrticus turdinus* Hartlaub, 1883
608 *Pycnonotus barbatus* (Desfontaine, 1789)
609 *Pycnonotus nigricans* (Vieillot, 1818)
610 *Pyrenestes ostrinus* (Vieillot, 1805)
611 *Pytilia afra* (Gmelin, 1789)
612 *Pytilia melba* (Linnaeus, 1758)
613 *Quelea cardinalis* (Hartlaub, 1880)
614 *Quelea erythropus* (Hartlaub, 1848)
615 *Quelea quelea* (Linnaeus, 1758)
616 *Rallus caerulescens* Gmelin, 1789
617 *Recurvirostra avosetta* Linnaeus, 1758
618 *Rhinopomastus cyanomelas* (Vieillot, 1819)
619 *Rhinoptilus chalcopterus* (Temminck, 1824)
620 *Rhinoptilus cinctus* (Heuglin, 1863)
621 *Rhynchops flavirostris* Vieillot, 1816
622 *Riparia cincta* (Boddaert, 1783)
623 *Riparia paludicola* (Vieillot, 1817)
624 *Riparia riparia* (Linnaeus, 1758)
625 *Rostratula benghalensis* (Linnaeus, 1758)
626 *Sagittarius serpentarius* (Miller, 1779)
627 *Salpornis spilonotus* (Franklin, 1831)
628 *Sarkidiornis melanotos* (Pennant, 1769)
629 *Sarothrura affinis* (Smith, 1828)
630 *Sarothrura ayresi* (Gurney, 1877)
631 *Sarothrura boehmi* Reichenow, 1900
632 *Sarothrura elegans* (Smith, 1839)
633 *Sarothrura lugens* (Bohm, 1884)
634 *Sarothrura pulchra* (Gray, 1829)
635 *Sarothrura rufa* (Vieillot, 1819)
636 *Saxicola rubetra* (Linnaeus, 1758)
637 *Saxicola torquatus* (Linnaeus, 1766)
638 *Schoenicola brevirostris* (Sundevall, 1850)
639 *Schoutedenapus myoptilus* (Salvadori, 1888)
640 *Scleroptila levaillantii* (Valenciennes, 1825)
641 *Scleroptila shelleyi* (Ogilvie-Grant, 1890)
642 *Scopus umbretta* Gmelin, 1789

- 643 *Scotopelia peli* (Bonaparte, 1850)
- 644 *Serinus atrogularis* (Smith, 1836)
- 645 *Serinus canicollis* (Swainson, 1838)
- 646 *Serinus capistratus* (Finsch & Hartlaub, 1870)
- 647 *Serinus citrinipectus* Clancey & Lawson, 1960
- 648 *Serinus flaviventris* (Swainson, 1828)
- 649 *Serinus frontalis* Reichenow, 1904
- 650 *Serinus gularis* (Smith, 1836)
- 651 *Serinus hypostictus* (Reichenow, 1904)
- 652 *Serinus mennelli* (Chubb, 1908)
- 653 *Serinus mozambicus* (Muller, 1776)
- 654 *Serinus reichardi* (Reichenow, 1882)
- 655 *Serinus striolatus* (Ruppell, 1840)
- 656 *Serinus sulphuratus* (Linnaeus, 1766)
- 657 *Sheppardia bocagei* (Finsch & Hartlaub, 1870)
- 658 *Sheppardia sharpei* (Shelley, 1903)
- 659 *Smithornis capensis* (Smith, 1840)
- 660 *Spatula clypeata* (Linnaeus, 1758)
- 661 *Spatula hottentota* (Eyton, 1838)
- 662 *Spatula querquedula* (Linnaeus, 1758)
- 663 *Spatula smithii* Hartert, 1891
- 664 *Spilopelia senegalensis* (Linnaeus, 1766)
- 665 *Spizocorys conirostris* (Sundevall, 1850)
- 666 *Sporopipes squamifrons* (Smith, 1836)
- 667 *Stactolaema anchietae* (Barboza du Bocage, 1869)
- 668 *Stactolaema whytii* (Shelley, 1893)
- 669 *Stephanoaetus coronatus* (Linnaeus, 1766)
- 670 *Sterna hirundo* Linnaeus, 1758
- 671 *Stizorhina fraseri* (Strickland, 1844)
- 672 *Streptopelia capicola* (Sundevall, 1857)
- 673 *Streptopelia decipiens* (Hartlaub & Finsch, 1870)
- 674 *Streptopelia lugens* (Ruppell, 1837)
- 675 *Streptopelia semitorquata* (Ruppell, 1837)
- 676 *Strix woodfordii* (Smith, 1834)
- 677 *Sylvia atricapilla* (Linnaeus, 1758)
- 678 *Sylvia borin* (Boddaert, 1783)
- 679 *Sylvia communis* Latham, 1787
- 680 *Sylvia lugens* Ruppell, 1840
- 681 *Sylvia subcaerulea* Vieillot, 1817
- 682 *Sylvietta rufescens* (Vieillot, 1817)
- 683 *Sylvietta ruficapilla* Barboza du Bocage, 1877
- 684 *Synoicus adansonii* (Verreaux & Verreaux, 1851)
- 685 *Tachybaptus ruficollis* (Pallas, 1764)
- 686 *Tachymarptis aequatorialis* (von Muller, 1851)
- 687 *Tachymarptis melba* (Linnaeus, 1758)
- 688 *Tauraco schalowi* (Reichenow, 1891)

- 689 *Tchagra australis* (Smith, 1836)
690 *Tchagra minutus* (Hartlaub, 1858)
691 *Tchagra senegalus* (Linnaeus, 1766)
692 *Telacanthura ussheri* (Sharpe, 1870)
693 *Telophorus nigrifrons* (Reichenow, 1896)
694 *Telophorus sulphureopectus* (Lesson, 1831)
695 *Telophorus viridis* (Vieillot, 1817)
696 *Terathopius ecaudatus* (Daudin, 1800)
697 *Terpsiphone rufiventer* (Swainson, 1837)
698 *Terpsiphone viridis* (Muller, 1776)
699 *Thalassornis leuconotus* Eyton, 1838
700 *Thamnolaia cinnamomeiventris* (Lafresnaye, 1836)
701 *Threskiornis aethiopicus* (Latham, 1790)
702 *Tockus erythrorhynchus* (Temminck, 1823)
703 *Tockus leucomelas* (Lichtenstein, 1842)
704 *Torgos tracheliotus* (Forster, 1791)
705 *Trachyphonus vaillantii* Ranzani, 1821
706 *Treron calvus* (Temminck, 1808)
707 *Tricholaema frontata* (Cabanis, 1880)
708 *Tricholaema lacrymosa* Cabanis, 1878
709 *Tricholaema leucomelas* (Boddaert, 1783)
710 *Trigonoceps occipitalis* (Burchell, 1824)
711 *Tringa erythropus* (Pallas, 1764)
712 *Tringa flavipes* (Gmelin, 1789)
713 *Tringa glareola* Linnaeus, 1758
714 *Tringa nebularia* (Gunnerus, 1767)
715 *Tringa ochropus* Linnaeus, 1758
716 *Tringa solitaria* Wilson, 1813
717 *Tringa stagnatilis* (Bechstein, 1803)
718 *Tringa totanus* (Linnaeus, 1758)
719 *Trochocercus cyanomelas* (Vieillot, 1818)
720 *Turdoides hartlaubii* (Barboza du Bocage, 1868)
721 *Turdoides jardineii* (Smith, 1836)
722 *Turdoides leucopygia* (Ruppell, 1840)
723 *Turdus libonyanus* (Smith, 1836)
724 *Turdus olivaceus* Linnaeus, 1766
725 *Turdus pelios* Bonaparte, 1850
726 *Turnix nanus* (Sundevall, 1851)
727 *Turnix sylvaticus* (Desfontaines, 1787)
728 *Turtur afer* (Linnaeus, 1766)
729 *Turtur chalcospilos* (Wagler, 1827)
730 *Turtur tympanistria* (Temminck, 1809)
731 *Tyto alba* (Scopoli, 1769)
732 *Tyto capensis* (Smith, 1834)
733 *Upupa epops* Linnaeus, 1758
734 *Uraeginthus angolensis* (Linnaeus, 1758)

- 735 *Uraeginthus bengalus* (Linnaeus, 1766)
- 736 *Uraeginthus granatinus* (Linnaeus, 1766)
- 737 *Urocolius indicus* (Latham, 1790)
- 738 *Urolestes melanoleucus* (Jardine, 1831)
- 739 *Vanellus albiceps* Gould, 1834
- 740 *Vanellus armatus* (Burchell, 1822)
- 741 *Vanellus coronatus* (Boddaert, 1783)
- 742 *Vanellus crassirostris* (Hartlaub, 1855)
- 743 *Vanellus lugubris* (Lesson, 1826)
- 744 *Vanellus senegallus* (Linnaeus, 1766)
- 745 *Vanellus spinosus* (Linnaeus, 1758)
- 746 *Vanellus superciliosus* (Reichenow, 1886)
- 747 *Vidua chalybeata* (Muller, 1776)
- 748 *Vidua codringtoni* (Neave, 1907)
- 749 *Vidua funerea* (Tarragon, 1847)
- 750 *Vidua macroura* (Pallas, 1764)
- 751 *Vidua obtusa* (Chapin, 1922)
- 752 *Vidua paradisaea* (Linnaeus, 1758)
- 753 *Vidua purpurascens* (Reichenow, 1883)
- 754 *Vidua regia* (Linnaeus, 1766)
- 755 *Xenus cinereus* (Guldenstadt, 1775)
- 756 *Zapornia flavirostra* (Swainson, 1837)
- 757 *Zapornia parva* (Scopoli, 1769)
- 758 *Zapornia pusilla* (Pallas, 1776)
- 759 *Zoothera gurneyi* (Hartlaub, 1864)
- 760 *Zosterops senegalensis* Bonaparte, 1850

CHECKLIST 4: MAMMALS

- 1 *Acinonyx jubatus* (Schreber, 1775)
- 2 *Acomys spinosissimus* Peters, 1852
- 3 *Aepyceros melampus* (Lichtenstein, 1812)
- 4 *Aethomys chrysophilus* (de Winton, 1897)
- 5 *Aethomys kaiseri* (Noack, 1887)
- 6 *Aethomys namaquensis* (A. Smith, 18340)
- 7 *Aethomys nyikae nyikae* (Thomas, 1897)
- 8 *Alcelaphus buselaphus lichtensteinii* (Peters, 1849)
- 9 *Anomalurus beecrofti* Fraser, 1843
- 10 *Anomalurus derbianus* (Gray, 1842)
- 11 *Aonyx capensis* Schinz, 1821
- 12 *Atelerix albiventris* (Wagner, 1841)
- 13 *Atilax paludinosus* (G. Cuvier, 1829)
- 14 *Bdeogale crassicauda* Peters, 1852
- 15 *Beamys hindei* Thomas, 1909
- 16 *Canis adustus* Sundevall, 1847
- 17 *Caracal caracal* (Schreber, 1776)
- 18 *Cephalophus harveyi* (Thomas, 1893)
- 19 *Cephalophus silvicultor* (Afzelius, 1815)
- 20 *Cercopithecus ascanius* (Audebert, 1799)
- 21 *Cercopithecus mitis moloneyi* Sclater, 1893
- 22 *Cercopithecus mitis* Wolf, 1822
- 23 *Chlorocebus aethiops* (Linnaeus, 1758)
- 24 *Civettictis civetta* (Schreber, 1776)
- 25 *Cloeotis percivali* Thomas, 1901
- 26 *Colobus angolensis* P. Sclater, 1860
- 27 *Colomys goslingi* Thomas & Wroughton, 1907
- 28 *Connochaetus taurinus cooksoni* Blaine, 1914
- 29 *Connochaetus taurinus taurinus* (Burchell, 1823)
- 30 *Cricetomys gambianus* Waterhouse, 1840
- 31 *Crocidura fuscomurina bicolor* Bocage, 1889
- 32 *Crocidura ansellorum* Hutterer & Dippenaar, 1987
- 33 *Crocidura cyanea* (Duvernoy, 1838)
- 34 *Crocidura hirta* Peters, 1852
- 35 *Crocidura luna* Dollman, 1910
- 36 *Crocidura mariquensis* (A. Smith, 1844)
- 37 *Crocidura nigrofusca* Matschie, 1895
- 38 *Crocidura olivieri* (Lesson, 1827)
- 39 *Crocidura parvipes* Osgood, 1910
- 40 *Crocidura pitmani* Barclay, 1932
- 41 *Crocidura turba* Dollman, 1910
- 42 *Crocuta crocuta* (Erxleben, 1777)
- 43 *Cryptomys hottentotus* (Lesson, 1826)
- 44 *Damaliscus lunatus* (Burchell, 1824)

- 45 *Dasymys incommutatus* (Sundevall, 1847)
- 46 *Dasymys nudipes* (Peters, 1870)
- 47 *Dendrohyrax arboreus* (A. Smith, 1827)
- 48 *Dendromus melanotis* (Smith, 1834)
- 49 *Dendromus mesomelas* (Brants, 1827)
- 50 *Dendromus mystacalis* (Heuglin, 1863)
- 51 *Dendromus nyikae* Wroughton, 1909
- 52 *Diceros bicornis* (Linnaeus, 1758)
- 53 *Eidolon helvum* (Kerr, 1792)
- 54 *Elephantulus brachyrhynchus* (A. Smith, 1836)
- 55 *Elephantulus fuscus* (Peters, 1852)
- 56 *Epomophorus crypturus* Peters, 1852
- 57 *Epomophorus gambianus* (Ogilby, 1835)
- 58 *Epomophorus minor* Dobson, 1879
- 59 *Epomophorus wahlbergi* (Sundevall, 1846)
- 60 *Epomops dobsonii* (Bocage, 1889)
- 61 *Epomops franqueti* (Tomes, 1860)
- 62 *Eptesicus hottentotus* (A. Smith, 1833)
- 63 *Equus quagga* Boddaert, 1785
- 64 *Felis silvestris* Schreber, 1777
- 65 *Fukomys anelli* (Burda, Zima, Scharff, Macholan & Kawalika, 1999)
- 66 *Fukomys damarensis* (Ogilby, 1838)
- 67 *Fukomys kafuensis* (Zima, Scharff, Macholan & Kawalika, 1999)
- 68 *Fukomys mechowii* Peters, (1881)
- 69 *Galago moholi* (A. Smith, 1836)
- 70 *Genetta angolensis* Bocage, 1882
- 71 *Genetta genetta* (Linnaeus, 1758)
- 72 *Genetta maculata* (Gray, 1830)
- 73 *Gerbilliscus boehmi* (Noack, 1887)
- 74 *Gerbilliscus brantsii* (Smith, 1836)
- 75 *Gerbilliscus leucogaster* (Peters, 1852)
- 76 *Gerbilliscus validus* (Bocage, 1890)
- 77 *Giraffa camelopardalis angolensis* Lydekker, 1903
- 78 *Giraffa camelopardalis thornicrofti* Lydekker, 1911
- 79 *Glauconycteris variegata* (Tomes, 1861)
- 80 *Grammomys dolichurus* Smuts, 1832
- 81 *Grammomys ibeanus* Osgood, 1910
- 82 *Graphiurus angolensis* de Winton, 1897
- 83 *Graphiurus kelleni* (Reuvers, 1890)
- 84 *Graphiurus lorrainae* Dollman, 1910
- 85 *Graphiurus microtis* (Noack, 1887)
- 86 *Graphiurus monardi* (St. Leger, 1936)
- 87 *Graphiurus murinus* (Desmarest, 1822)
- 88 *Graphiurus platyops* Thomas, 1897
- 89 *Heliophobius argenteocinereus* Peters, 1846
- 90 *Heliosciurus gambianus* (Ogilby, 1835)

- 91 *Heliosciurus mutabilis* (Peters, 1852)
- 92 *Helogale parvula* (Sundevall, 1847)
- 93 *Herpestes ichneumon* (Linnaeus, 1758)
- 94 *Herpestes sanguineus* (Ruppell, 1835)
- 95 *Heterohyrax brucei* (Gray, 1868)
- 96 *Hippopotamus amphibius* Linnaeus, 1758
- 97 *Hipposideros caffer* (Sundevall, 1846)
- 98 *Hipposideros ruber* (Noack, 1893)
- 99 *Hipposideros vittatus* (Peters, 1852)
- 100 *Hippotragus equinus* (E. Geoffroy Saint- Hilaire , 1803)
- 101 *Hippotragus niger* (Harris, 1838)
- 102 *Hybomys univittatus* (Peters, 1876)
- 103 *Hylomyscus denniae* (Thomas, 1906)
- 104 *Hystrix africae australis* Peters, 1852
- 105 *Ichneumia albicauda* (G. Cuvier, 1829)
- 106 *Ictonyx striatus* (Perry, 1810)
- 107 *Kerivoula argentata* Tomes, 1861
- 108 *Kerivoula lanosa* (A. Smith, 1847)
- 109 *Kobus ellipsiprymnus defassa* (Ruppell, 1835)
- 110 *Kobus ellipsiprymnus ellipsiprymnus* (Ogilby, 1833)
- 111 *Kobus leche kafuensis* Halternorth, 1963
- 112 *Kobus leche leche* Gray, 1850
- 113 *Kobus leche smithemani* (Lydekker, 1900)
- 114 *Kobus vardonii* (Livingstone, 1857)
- 115 *Laephotis botswanae* Setzer, 1971
- 116 *Lavia frons* (E. Geoffroy, 1810)
- 117 *Lemniscomys griselda* (Thomas, 1904)
- 118 *Lemniscomys rosalia* (Thomas, 1904)
- 119 *Lemniscomys roseveari* Van der Straeten, 1980
- 120 *Lemniscomys striatus* (Linnaeus, 1758)
- 121 *Leptailurus serval* (Schreber, 1776)
- 122 *Lepus microtis* Heuglin, 1865
- 123 *Lissonycteris angolensis* Bocage, 1898
- 124 *Lophuromys flavopunctatus* Thomas, 1888
- 125 *Loxodonta africana* (Blumenbach, 1797)
- 126 *Lutra maculicollis* Lichtenstein, 1835
- 127 *Lycaon pictus* (Temminck, 1820)
- 128 *Malacomys longipes* Milne-Edwards, 1877
- 129 *Mastomys natalensis* (Smith, 1834)
- 130 *Mellivora capensis* (Schreber, 1776)
- 131 *Mimetillus moloneyi* (Thomas, 1891)
- 132 *Miniopterus fraterculus* Thomas & Schwann, 1906
- 133 *Miniopterus natalensis* (A. Smith 1834)
- 134 *Mungos mungo* (Gmelin, 1788)
- 135 *Mus indutus* (Thomas, 1910)
- 136 *Mus minutoides* Smith, 1834

- 137 *Mus musculus* Linnaeus, 1758
- 138 *Mus neavei* (Thomas, 1910)
- 139 *Mus setzeri* F. Petter, 1978
- 140 *Mus triton* (Thomas, 1909)
- 141 *Myonycteris torquata* (Dobson, 1878)
- 142 *Myotis bocagii* (Peters, 1870)
- 143 *Myotis tricolor* (Temminck, 1832)
- 144 *Myotis welwitschii* (Gray, 1866)
- 145 *Nandinia binotata* (Gray, 1830)
- 146 *Nycteris grandis* Peters, 1865
- 147 *Nycteris hispida* (Schreber, 1775)
- 148 *Nycteris macrotis* Dobson, 1876
- 149 *Nycteris major* K. Andersen, 1912
- 150 *Nycteris thebaica* E. Geoffroy, 1818
- 151 *Nycteris woodi* K. Andersen, 1914
- 152 *Nycticeinops schlieffeni* (Peters, 1859)
- 153 *Oreotragus oreotragus* (Zimmermann, 1783)
- 154 *Orycteropus afer* (Pallas, 1766)
- 155 *Otolemur crassicaudatus* (E. Geoffroy, 1812)
- 156 *Otomops martiensseni* (Matschie, 1897)
- 157 *Otomys angoniensis* Wroughton, 1909
- 158 *Otomys denti* Thomas, 1906
- 159 *Otomys lacustris* G.M. Allen & Loveridge, 1933
- 160 *Otomys uzungwensis* Lawrence & Loveridge, 1953
- 161 *Ourebia ourebi* (Zimmermann, 1783)
- 162 *Panthera leo* (Linnaeus, 1758)
- 163 *Panthera pardus* (Linnaeus, 1758)
- 164 *Papio cynocephalus* (Linnaeus, 1766)
- 165 *Papio ursinus* (Kerr, 1792)
- 166 *Paracynictis selousi* (de Winton, 1896)
- 167 *Paraxerus boehmi* (Reichenow, 1886)
- 168 *Paraxerus cepapi* (A. Smith, 1836)
- 169 *Paraxerus lucifer* (Thomas, 1897)
- 170 *Pedetes capensis* (Forster, 1778)
- 171 *Pelomys fallax* (Peters, 1852)
- 172 *Pelomys minor* Cabrera & Ruxton, 1926
- 173 *Petrodromus tetradactylus* Peters, 1846
- 174 *Phacochoerus africanus* (Gmelin, 1788)
- 175 *Phataginus tricuspis* (Rafinesque, 1821)
- 176 *Philantomba monticola* (Thunberg, 1789)
- 177 *Pipistrellus anchietai* (Seabra, 1900)
- 178 *Pipistrellus capensis* (A. Smith, 1829)
- 179 *Pipistrellus melckorum* (Roberts, 1919)
- 180 *Pipistrellus nanus* (Peters, 1852)
- 181 *Pipistrellus rendalli* (Thomas, 1889)
- 182 *Pipistrellus rueppellii* (Fischer, 1859)

- 183 *Pipistrellus rusticus* (Tome, 1861)
- 184 *Pipistrellus zuluensis* (Roberts, 1924)
- 185 *Plerotes anchietae* (de Seabra, 1900)
- 186 *Poecilogale albinucha* (Gray, 1864)
- 187 *Potamochoerus larvatus* (F. Cuvier, 1822)
- 188 *Potamogale velox* (de Chaillu, 1860)
- 189 *Praomys delectorum* (Thomas, 1910)
- 190 *Praomys jacksoni* (de Winton, 1897)
- 191 *Procavia capensis* (Pallas, 1766)
- 192 *Pronolagus rupestris* (A. Smith, 1834)
- 193 *Proteles cristata* (Sparrman, 1783)
- 194 *Raphicerus campestris* (Thunberg, 1811)
- 195 *Raphicerus sharpei* Thomas, 1897
- 196 *Rattus rattus* (Linnaeus, 1758)
- 197 *Redunca arundinum* (Boddaert, 1785)
- 198 *Rhabdomys pumilio* (Sparrman, 1784)
- 199 *Rhinolophus blasii* Peters, 1866
- 200 *Rhinolophus clivosus* Cretzschmar, 1828
- 201 *Rhinolophus darlingi* K. Andersen, 1905
- 202 *Rhinolophus fumigatus* Ruppell, 1842
- 203 *Rhinolophus hildebrandti* Peters, 1878
- 204 *Rhinolophus landeri* Martin, 1838
- 205 *Rhinolophus sakejiensis* Cotterill, 2002
- 206 *Rhinolophus simulator* K. Andersen, 1904
- 207 *Rhinolophus swinnyi* Gough, 1908
- 208 *Rhynchocyon cirnei* Peters, 1847
- 209 *Rhynchogale melleri* (Gray, 1865)
- 210 *Rousettus aegyptiacus* (E. Geoffroy, 1810)
- 211 *Saccostomus campestris* Peters, 1846
- 212 *Scotoecus hirundo* de Winton, 1899
- 213 *Scotophilus dinganii* (A. Smith, 1833)
- 214 *Scotophilus viridis* (Peters, 1852)
- 215 *Smutsia temminckii* (Smuts, 1832)
- 216 *Steatomys krebsii* Peters, 1852
- 217 *Steatomys parvus* Rhoads, 1896
- 218 *Steatomys pratensis* Peters, 1846
- 219 *Suncus lixus* (Thomas, 1898)
- 220 *Suncus megalura* (Jentink, 1888)
- 221 *Suncus varilla* (Thomas, 1895)
- 222 *Sylvicapra grimmia* (Linnaeus, 1758)
- 223 *Syncerus caffer* (Sparrman, 1779)
- 224 *Tadarida aegyptiaca* (E. Geoffroy, 1818)
- 225 *Tadarida bivittata* (Heuglin, 1861)
- 226 *Tadarida chapini* (J.A. Allen, 1917)
- 227 *Tadarida condylura* (A. Smith, 1833)
- 228 *Tadarida fulminans* (Thomas, 1903)

- 229 *Tadarida midas* (Sundevall, 1843)
- 230 *Tadarida nigeriae* (Thomas, 1913)
- 231 *Tadarida niveiventer* (Cabrera & Ruxton, 1926)
- 232 *Tadarida pumila* (Cretzschmar, 1826)
- 233 *Tadarida ventralis* (Heuglin, 1861)
- 234 *Taphozous mauritanus* E. Geoffroy, 1818
- 235 *Thallomys paedulcus* (Sundevall, 1846)
- 236 *Thryonomys gregorianus* (Thomas, 1894)
- 237 *Thryonomys swinderianus* (Temminck, 1827)
- 238 *Tragelaphus oryx* (Pallas, 1766)
- 239 *Tragelaphus scriptus* (Pallas, 1766)
- 240 *Tragelaphus spekei* Speke, 1863
- 241 *Tragelaphus strepsiceros* (Pallas, 1766)
- 242 *Triaenops persicus* Dobson, 1871
- 243 *Zelotomys hildegardeae* (Thomas, 1902)